

3751

Hi-Vis Cool-Breathe Sublimated Piping Polo - Short Sleeve



Fabric: 175gsm 100% Polyester micromesh, Sublimated panel & navy piping raglan sleeves, button down LHS pocket. The new HiVis standard allows contrast piping on torso.

Sizes : XS-5XL

Colours:



FEATURES:

SUN Protection UPF 40+ - 50+

DNC garments are tested for UPF (ultraviolet protection factor) in accordance with AS/NZS4399:1996. The level of protection varies depending on the fabric and colour of the garment. 15+ good protection, 30+ / 35+ very good protection, 40+ / 50+ excellent protection.



Environmentally Friendly Green Dye Oeko-Tex Standard 100 Safe to wear against the skin

All DNC garments use the Green Dye only, except for the Patrol Saint Flame Retardant range. All DNC garment fabric fully complies with Oeko-Tex standard 100 class II for products with direct contact to the skin in which prohibited to use aromatic amines, sensitizing dyes and cancer risk dyes. Green dye should meet the following conditions: Does not contain harmful or non-aromatic amine; dye itself, non-carcinogenic, sensitization, acute toxicity; the use of formaldehyde and, after extraction of heavy metals in the following limits; non-environmental hormone; non persistent organic pollutants; does not produce pollution of the environment harmful chemicals; not produce chemicals that pollute the environment; colour fastness and superior to disable the use of dyes.



Hi-Vis Day Fabric & Design New AS/NZS 4602.1:2011

DNC HiVis garments are manufactured to comply with New Hi Vis standard Class F AS/NZS1906.4:2010, Class D AS/NZS 4602.1:2011 to meet the requirements of Hi-Vis safety standards for both HiVis Fabric & Design of garments, (Section 6.4) day use.



COOL-BREATHE Moisture Absorbency Fabrics

DNC 100% polyester soft feel micromesh and mini pique knit, double sided jersey and mini waffle fabrics all feature "cool-breathe" and "cooldry" moisture wicking treatment. Provides quick drying comfort in hot and sweaty conditions with ability to breathe.

